

L Number	Hits	Search Text	DB	Time stamp
11	17615	7077.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 08:09
12	77	((select\$4 highlight) near5 character\$2) and (start near5 (tag anchor)) and (end near5 (tag anchor))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 08:11
13	60	((select\$4 highlight) near5 character\$2) and (start near5 (tag anchor)) and (end near5 (tag anchor))) and table	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 08:11
14	24	((select\$4 highlight) near5 character\$2) and (start near5 (tag anchor)) and (end near5 (tag anchor))) and table) and ((id identifier identification number) near5 (tag anchor))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 08:12
-	1050	(edit\$4 delet\$4) near5 (tag\$2 (tag\$2 near5 pair\$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 10:33
-	437	((edit\$4 delet\$4) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 10:34
-	156	((edit\$4 delet\$4) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and ((edit\$4 modif\$5) near5 (character\$2 tag\$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 10:34
-	3138	(edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 10:34
-	1310	((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 10:34
-	1310	((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 10:35
-	58	((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and (edit\$4 near5 document\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 12:31
-	58	((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and (((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and (edit\$4 near5 document\$2)) and (tag\$2 anchor\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 12:32
-	1310	((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and (tag\$2 anchor\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 13:10
-	13	((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and (tag\$2 anchor\$2)) and (edit\$4 near5 (character\$2 (character near3 sequence\$2)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 12:41
-	46	((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4)) and (character\$2 tag\$2)) and (tag\$2 anchor\$2)) and (tag near3 manage\$)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 13:06
-	497	tag\$2 near5 overlap\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 13:07

-	497	(tag\$2 near5 overlap\$4) and tag\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 13:07
-	341	((tag\$2 near5 overlap\$4) and tag\$2) and (edit\$4 modif\$6 delet\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 13:07
-	97	((tag\$2 near5 overlap\$4) and tag\$2) and (edit\$4 modif\$6 delet\$4) and ((start end) near5 tag\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 13:15
-	45	((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4) and (character\$2 tag\$2) and ((tag\$2 anchor\$2) near5 overlap\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 13:10
-	309	((edit\$4 delet\$4 modif\$6) near5 (tag\$2 (tag\$2 near5 pair\$2))) and (distinguish\$4 discriminat\$4) and (character\$2 tag\$2) and (tag\$2 anchor\$2) and ((start end) near5 tag\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 15:02
-	1188	(edit\$4 near5 document\$4) and (tag\$2 anchor\$2) and (start begin\$4 end)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 15:04
-	113	((edit\$4 near5 document\$4) and (tag\$2 anchor\$2) and (start begin\$4 end)) and (character near5 sequence\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 16:06
-	1	5649218.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 07:56
-	1	5649218.pn. and omit\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/24 16:06
-	1	5649218.pn. and edit\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:01
-	1	(5649218.pn. and edit\$4) and (tag\$2 character\$2 sequence\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:11
-	0	((prepar\$4 near5 tag\$2) near5 table\$2) same (edit\$4 near5 document\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:12
-	12	((tag\$2 near5 table\$2) same (edit\$4 near5 document\$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:17
-	11387	document near4 area\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:17
-	1083	document adj area\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:18
-	104	(document adj area\$2) and (tag\$2 anchor\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:18
-	1	((document adj area\$2) and (tag\$2 anchor\$2)) and (edit\$4 modif\$6 chang\$4) and (character near5 sequence\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:19

-	104	((document adj area\$2) and (tag\$2 anchor\$2)) and (edit\$4 modif\$6 chang\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:22
-	1082	(overlap\$4 over-lap\$4) near5 (tag\$2 anchor\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:24
-	369	((overlap\$4 over-lap\$4) near5 (tag\$2 anchor\$2)) and table\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:24
-	345	((((overlap\$4 over-lap\$4) near5 (tag\$2 anchor\$2)) and table\$2) and (edit\$4 modif\$6 chang\$4))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:24
-	136	(((((overlap\$4 over-lap\$4) near5 (tag\$2 anchor\$2)) and table\$2) and (edit\$4 modif\$6 chang\$4)) and (character\$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:55
-	50	(nonoverlap\$4 non-overlap\$4 (non adj overlap\$)) near5 (tag anchor\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:56
-	22	((nonoverlap\$4 non-overlap\$4 (non adj overlap\$)) near5 (tag anchor\$2)) and id	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 08:57
-	28	((nonoverlap\$4 non-overlap\$4 (non adj overlap\$)) near5 (tag anchor\$2)) not (((nonoverlap\$4 non-overlap\$4 (non adj overlap\$)) near5 (tag anchor\$2)) and id)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 09:00
-	846	(start near5 tag\$2) and (end near5 tag\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 09:01
-	51	((start near5 tag\$2) and (end near5 tag\$2)) and (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 tag\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 09:06
-	765	(assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 09:07
-	714	((assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) not (((start near5 tag\$2) and (end near5 tag\$2)) and (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 tag\$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 09:08
-	12	(((assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) not (((start near5 tag\$2) and (end near5 tag\$2)) and (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 tag\$2))) and (edit\$4 near5 (tag\$2 anchor\$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 09:23
-	292	(((assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) not (((start near5 tag\$2) and (end near5 tag\$2)) and (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 tag\$2))) and (character)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 09:26
-	18	(((assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) and (edit\$4 near5 (tag\$2 anchor\$2)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 09:23
-	6	(((assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) and (edit\$4 near5 (tag\$2 anchor\$2))) not ((((assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 (tag\$2 anchor\$2))) not (((start near5 tag\$2) and (end near5 tag\$2)) and (assign\$4 near5 (id\$2 identification name\$2 number\$2) near5 tag\$2))) and (edit\$4 near5 (tag\$2 anchor\$2)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 09:24

-	1159	715/513.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 09:26
-	710	715/513.ccls. and (tag\$2 anchor\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 09:27
-	316	(715/513.ccls. and (tag\$2 anchor\$2)) and ((id identification identifier number name) near4 (tag\$2 anchor\$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 15:55
-	2	("6526410" "5649218").pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 16:37
-	0	((("6526410" "5649218").pn.) and link\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 15:56
-	1	5553216.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 16:12
-	1	5553216.pn. and link\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 15:57
-	1	5802529.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 16:12
-	1	5802529.pn. and link\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 16:15
-	1	5745745.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 16:15
-	0	5745745.pn. and link\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 16:18
-	1	6230173.pn. and link\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 16:18
-	1	("6526410" "5649218").pn. and format\$\$	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/25 16:58
-	11	(select\$4 near5 (character near3 string\$2)) and (start near5 (tag anchor)) and (end near5 (tag anchor))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 08:10
-	68	(select\$4 near5 character\$2) and (start near5 (tag anchor)) and (end near5 (tag anchor))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 08:10
-	54	((select\$4 near5 character\$2) and (start near5 (tag anchor)) and (end near5 (tag anchor))) and ((id number name identifier identification) near5 (tag anchor))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/11/26 08:09